Virginia's Highway Safety Corridor Program

I-95 Through Richmond

October 7, 2004







Purpose

Reduce highway deaths and injuries







Background

- In 2003, 942 people died, 78,842 more were injured in highway crashes
- New VA Law helps State Police, VDOT, & DMV address safety in high crash locations
 - Increased fines in most cases doubled
- First corridor on I-81 has reduced crashes particularly those severe







Legislative Requirements

- Limited to interstates and primaries
- Designation of highway segment based on engineering studies of:
 - Type and volume of traffic
 - Crashes
- Public hearings prior to adopting criteria and designating corridors
- Report data on effectiveness annually

Highway Safety Corridor Program







4


Enforcement, Education and Engineering

- Fines for moving violations are doubled in designated corridors, subject to:
 - \$500 maximum for traffic infractions
 - \$200 minimum for criminal infractions
- Public awareness and driver education
- Assessment of crashes for low-cost improvements















Safety Corridor Identification

- Preliminary screening
 - Identify high crash frequency & rate sites
- Detailed analysis of corridors
 - Causal factors
 - Potential corridor effectiveness
- Corridor selection









Screening Criteria

- Crashes per mile (weighted by severity) must exceed 150% of regional average
- Overall crash rate must exceed 125% of regional average
- Truck-involved crash rate must exceed regional average









Southeast Region Interstate Safety Corridor Candidates

Crash data is percentage above the regional average

~

Severity* weighted frequency above 150%


~

Overall crash rate above 125%

~

Truck involved crash rate above region overall average






Severity* factors crashes with the following weights: PDO = 1, injury = 8, fatal = 20.

Crash rate is the number of crashes per vehicle miles traveled on the highway segment.















Proposed I-95 Safety Corridor

MP 70 to MP 83 - 13 Miles

- -North of Rt 161 (Bells Road) to Rt 73 (Parham Road)
- In City of Richmond and Henrico County

11







Proposed I-95 Safety CorridorMP 70 to MP 83

<u>Year</u>	Fender <u>Bender</u>	Injury <u>crash</u>	Fatal <u>crash</u>	Total <u>crashes</u>
2000	420	156	2	578
2001	431	175	1	607
2002	474	174	1	649
	1325	505	4	1834













I-95 MP 70 to MP 83 Crash Type Summary

Crash Type	Percentage of Crashes
Rear End	52%
Fixed Object – Off Road	d 25%
Sideswipe – Same Direc	etion 19%
Angle	1%
All Other Crashes	3%







I-95 MP 70 to MP 83 Major Factors in Crashes

Major Factor	Percentage of Crashes
Driver Inattention	77%
Driver Speeding	12%
Driver Under the Influence	
of Alcohol or Drugs	3%
Driver Handicap	2%
Weather/Visibility Conditions	s 1%
All Other Factors	5%







Engineering

- Post Signs for Corridor
- Review of Roadside Safety Elements
- Monitor Speeds, Volumes and Crashes











Corridor Signing Start to Finish

BEGIN

HIGHWAY SAFETY CORRIDOR

FINES FOR MOVING VIOLATIONS

\$200 MINIMUM - CRIMINAL OFFENSES

\$500 MAXIMUM - TRAFFIC INFRACTIONS

Reflectorized

Regulatory

(15 ft. x 6 ft.)

(12 ft. x 4 ft.)

END HIGHWAY
SAFETY CORRIDOR








Education

- VDOT Public Affairs with VSP & DMV input and outreach
- Radio PSAs, Posters, Brochures, driver education programs
- Website on policy, process, procedures and program effectiveness

<u>www.virginiadot.org/comtravel/ct-highway-safety-corridor.asp</u>











Next Steps


- Nov. Dec. 2004
 - Designate regional interstate corridors
 - Launch public awareness campaign
 - Initiate targeted law enforcement
- Jan. Dec. 2005
 - Analyze potential primary highway segments
 - Monitor, evaluate & report annually







First Corridor = Good News









Virginia's Highway Safety Corridor Program

Working Together To Make A Difference

Send Comments by October 22nd, 2004 to

<u>HighwaySafetyCorridors@VirginiaDOT.org</u>

or

Larry Caldwell, P.E.

Assist. Mobility Management Engineer VDOT

1401 E. Broad St., Richmond, VA 23219







I-95 Safety Analysis Criteria

- Crash frequency and severity
- Traffic volumes
- Crash rate per miles traveled
- Truck involved crash rate









I-95 Crash Frequency

- # Crashes along I-95 by mile-point
- North Carolina state line at left
- Caroline County line at right
- Look at height and width of peaks
- Where above 150% of regional average












I-95 Crash Frequency

I-95 Region 2 Crashes (2000-2002)









I-95 Crash Frequency Weighted by Severity

- Previous slide total # crashes
- Also need to consider severity of crash
- Give added emphasis to injury and fatal crashes
- Look at peaks where above 150% of regional average








I-95 Crash Frequency Weighted by Severity

(2000-2002 Crashes; PDO=1, Injury=8, Fatal=20)









I-95 Vehicle Mix

- Tractor-trailers
- Other trucks and buses
- Passenger vehicles










I-95 Vehicle Mix

I-95 Average Daily Traffic By Vehicle Type (2000-2002)









I-95 Crash Rates

 Adjust # crashes for # vehicles on road

 Compare high crash / high volume locations with lower crash / lower volume locations on more even basis

29










I-95 Crash Rates

(2000-2002 Crashes)









Comparing Rates for Traffic Mix

 Overall crash rate versus truckinvolved crash rate

 NOTE: Truck involved crash does not mean truck caused crash

31







Comparing I-95 Rates for Traffic Mix

I-95 Region 2 Crash Rate Comparison:
All Traffic and Truck Involved (2000-2002 Crashes)

